## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L	Hits	Search Text	DB	Time stamp
Number				
1	6175	<pre>(print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 10:00
2	655	(print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5) with (decid\$5 determin\$5 analyz\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 10:01
3	24	(print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5) with (decid\$5 determin\$5 analyz\$5) same (postscript\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 10:02
4	10	((print\$5 adj2 (request\$5 job\$5 data\$5)) near5 (type\$5 format\$5) with (decid\$5 determin\$5 analyz\$5) same (postscript\$5)) and @ad<20000124	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 10:02
11	2	("6476930").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
16	2	("6476930").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
17	2	("6476930").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/28 13:03
18	4	appletalk\$5 with print\$5 adj2 data\$5	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/28 13:47
19	79	appletalk\$5 with print\$5	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 13:47
20	54	(appletalk\$5 with print\$5) and Gad<20000124	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
21	2	("6476930").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/28 14:04
22	39	(interrupt\$5 adj2 (stop\$5 adj2 transmission\$5))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 14:05
23	2	<pre>(interrupt\$5 adj2 (stop\$5 adj2 transmission\$5)) same print\$5</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28
24	29	((interrupt\$5 adj2 (stop\$5 adj2 transmission\$5))) and @ad<20000124	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/28 14:24
			IBM TDB	

Search History 9/28/04 3:36:29 PM Page 1

0.5	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	***************************************	2004/00/20
25	1051	(print\$5 adj2 data\$5) with (interrupt\$5)	USPAT; US-PGPUB;	2004/09/28 14:11
			EPO; JPO;	14:11
			DERWENT;	
			IBM TDB	
26	3	(print\$5 adj2 data\$5) with (interrupt\$5)	USPAT;	2004/09/28
		same (stop\$5 adj2 transmi\$5)	US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	
27	126	(print\$5 adj2 data\$5) with (interrupt\$5)	USPAT;	2004/09/28   14:24
		same (stop\$5)	US-PGPUB; EPO; JPO;	14:24
			DERWENT;	ļ
		:	IBM TDB	
28	102	((print\$5 adj2 data\$5) with (interrupt\$5)	USPAT;	2004/09/28
		same (stop\$5)) and @ad<20000124	US-PGPUB;	15:13
			EPO; JPO;	
!			DERWENT;	
			IBM_TDB	0004/00/00
29	12	(postscript\$5 with interrupt\$5) same	USPAT;	2004/09/28
		print\$5	US-PGPUB; EPO; JPO;	15:10
			DERWENT;	
			IBM TDB	
30	1741	interrupt\$5 with (print\$5 adj2 (job\$5	USPAT;	2004/09/28
		data\$5 request\$5))	US-PGPUB;	15:11
[			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/00
31	198	interrupt\$5 with (print\$5 adj2 (job\$5	USPAT; US-PGPUB;	2004/09/28 15:12
		data\$5 request\$5)) same (stop\$5)	EPO; JPO;	15.12
			DERWENT;	
			IBM TDB	
32	147	(interrupt\$5 with (print\$5 adj2 (job\$5	USPAT;	2004/09/28
		data\$5 request\$5)) same (stop\$5)) and	US-PGPUB;	15:29
		@ad<20000124	EPO; JPO;	.
			DERWENT;	
33	11455	(358/1.11-1.15, 358/1.9).ccls.	IBM_TDB USPAT;	2004/09/28
33	11455	(350/1.11-1.15, 350/1.9/.0015.	US-PGPUB;	15:27
ļ			EPO; JPO;	10.27
			DERWENT;	
1			IBM_TDB	
35	24	((358/1.11-1.15, 358/1.9).ccls.	USPĀT;	2004/09/28
		) and ((print\$2 adj2 (job\$5 request\$5	US-PGPUB;	15:29
		order\$5) with (direct\$5 adj2	EPO; JPO;	
1		communication\$5)) and @ad<20000124)	DERWENT; IBM TDB	
34	4.5	(print\$2 adj2 (job\$5 request\$5 order\$5)	USPAT;	2004/09/28
"		with (direct\$5 adj2 communication\$5)) and	US-PGPUB;	15:29
		@ad<20000124	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
36	24	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/28
		) and ((print\$2 adj2 (job\$5 request\$5	US-PGPUB;	15:29
		order\$5) with (direct\$5 adj2	EPO; JPO;	
1		communication\$5)) and @ad<20000124)) and @ad<20000124	DERWENT;	
_	2		USPAT;	2004/09/23
	"	1 20010022000 ,	US-PGPUB;	17:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	382	printer\$5 with bypass\$5	USPAT;	2004/09/23
			US-PGPUB;	17:13
			EPO; JPO;	
			DERWENT; IBM TDB	
1	ĺ		םמד דיים	

_	240	(printer\$5 with bypass\$5) and	USPAT; US-PGPUB;	2004/09/28 13:52
		@ad<20000124	EPO; JPO;	13:52
			DERWENT;	
			IBM TDB	
_	1156	appletalk	USPAT;	2004/09/23
			US-PGPUB;	17:36
	Ì		EPO; JPO;	
			DERWENT;	
		100 100 100	IBM_TDB USPAT;	0004/00/27
_	35	interactiv\$5 adj2 print\$5 adj2 job\$2	US-PGPUB;	2004/09/27 14:25
			EPO; JPO;	14.25
			DERWENT;	
			IBM TDB	
_	2	("20010022668").PN.	USPAT;	2004/09/24
	]		US-PGPUB;	12:09
			EPO; JPO;	
			DERWENT;	
		10 A4 113 / Sub0E - 110 / Sub0E	IBM_TDB	2004/00/27
_	82	(bypass\$4 with (print\$5 adj2 (job\$5	USPAT; US-PGPUB;	2004/09/27 14:15
		data\$5) postscript\$5))	EPO; JPO;	14.13
			DERWENT;	
			IBM TDB	
-	51	((bypass\$4 with (print\$5 adj2 (job\$5	USPĀT;	2004/09/27
		data\$5) postscript\$5))) and @ad<20000124	US-PGPUB;	14:45
	1	_	EPO; JPO;	'
			DERWENT;	
		45)	IBM_TDB	0004/00/07
_	10		USPAT; US-PGPUB;	2004/09/27 14:41
		print\$4 adj2 (job\$2 data\$4)	EPO; JPO;	14:41
			DERWENT;	
			IBM TDB	
_	128	((mutual\$4 direct\$5) adj2	USPAT;	2004/09/27
		communication\$5) with print\$4 adj2 (job\$2	US-PGPUB;	14:44
		data\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/07
_	118	(direct\$5 adj2 communication\$5) with	USPAT; US-PGPUB;	2004/09/27 14:44
		print\$4 adj2 (job\$2 data\$4)	EPO; JPO;	14.44
			DERWENT;	
			IBM TDB	
_	51	(((bypass\$4 with (print\$5 adj2 (job\$5	USPAT;	2004/09/27
		data\$5) postscript\$5))) and @ad<20000124)	US-PGPUB;	14:45
		and @ad<20000124	EPO; JPO;	
			DERWENT;	
	0.0	//32	IBM_TDB	2004/09/27
-	83	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT; US-PGPUB;	16:39
1		print\$4 adj2 (job\$2 data\$4)) and   @ad<20000124	EPO; JPO;	15.55
		Caa (20000121	DERWENT;	
			IBM_TDB	
-	8	5898823.URPN.	USPAT	2004/09/27
				14:57
-	11		USPAT	2004/09/27
1		("5937395") or ("5933528") or ("5828794")		16:30
		or ("5757961") or ("5748777") or		
		("5694486") or ("5666471") or ("5600720") or ("5561534")).PN.		
_	0		USPAT;	2004/09/27
	1	request\$5)) with (post adj2 (job;5 data(5)	US-PGPUB;	16:38
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	0004/00/07
-	47		USPAT;	2004/09/27
		postscript\$5) with (bypass\$5 direct\$5	US-PGPUB;	16:39
		mutual\$5)	EPO; JPO;	
	1		DERWENT; IBM TDB	
L	<u> </u>		I DPI I DD	<u> </u>

- 15 (print\$4 adj2 job\$5 with (interactiv\$5 USPAT; postscript\$5) with (bypass\$5 direct\$5 US-PGPU mutual\$5) ) and @ad<20000124 EPO; JI DERWENT IBM_TDE USPAT; (postscript\$5 interactiv\$5) US-PGPU USPAT; (postscript\$5 interactiv\$5) US-PGPU EPO; JE	20;
mutual\$5) ) and @ad<20000124	20;
DERWENT  IBM_TDE  73 (direct\$4 adj2 print\$5) with USPAT; (postscript\$5 interactiv\$5) US-PGPU	· 1
- 73 (direct\$4 adj2 print\$5) with USPAT; (postscript\$5 interactiv\$5) US-PGPU	<i>L' i</i>
- 73 (direct\$4 adj2 print\$5) with USPAT; (postscript\$5 interactiv\$5) US-PGPU	
(postscript\$5 interactiv\$5) US-PGPU	2004/09/27
	1 - · · · · · · · · ·
I I I I I I I I I I I I I I I I I I I	· •
DERWENT	
IBM TO	•
- 30 ((direct\$4 adj2 print\$5) with USPAT;	2004/09/27
(postscript\$5 interactiv\$5)) and US-PGPU	
	20;
DERWENT	
IBM_TDF	3
- 3 (bypass\$5 with print\$5) with USPAT;	2004/09/27
(interactiv\$5 postscript\$5) US-PGPU	·
EPO; JI	
DERWENT	· ·
IBM_TDF	i i
- 4240 mutual\$5 adj2 communication\$5 USPAT;	2004/09/27
US-PGPU	
EPO; JE	
IBM TO	
- 10 mutual\$5 adj2 communication\$5 with USPAT;	2004/09/27
(print\$5 adj2 (request\$5 job\$5 data\$5)) US-PGPU	
(princes adjz (requestes jobes datays)) ob rore	· 1
DERWENT	
IBM TDE	
- 0 (print\$5 adj2 job\$5) with (interactiv\$5 USPAT;	2004/09/27
adj2 format\$5) US-PGPU	
EPO; JE	20;
DERWENT	:;
IBM_TDE	
- 6 print\$5 adj2 job\$5 with (mutual\$5 adj2 USPAT;	2004/09/27
communication\$5) US-PGPU	· ·
EPO; JE	
DERWENT	-
IBM_TDE	2004/09/27
- 0 (print\$5 adj2 job\$5) with (postscript\$5 USPAT; adj2 format\$5) with (bypass\$4 mutual\$5 US-PGPU	
	- ·   ·
DERWENT	
IBM TDE	
- 6 (print\$5 adj2 job\$5) with (postscript\$5 USPAT;	2004/09/27
adj2 format\$5) US-PGPU	
EPO; JE	
DERWENT	,
IBM_TDE	3
- 26 (print\$5 adj2 job\$5) with (postscript\$5) USPAT;	2004/09/27
with (direct\$5 bypass\$5 direct\$5) US-PGPU	1
EPO; JE	I
DERWENT	
IBM_TDE	
- 50 direct\$5 adj3 print\$5 with (postscript\$5) USPAT;	2004/09/27 JB; 18:03
US-PGPU EPO; JE	· · ·
DERWENT	I
IBM TDE	•
6 ((print\$5 adj2 job\$5) with (postscript\$5) USPAT;	2004/09/27
with (direct\$5 bypass\$5 direct\$5)) and US-PGPU	1
	- '
DERWENT	
IBM TDE	I
- 22 (direct\$5 adj3 print\$5 with USPAT;	2004/09/27
(postscript\$5)) and @ad<20000124 US-PGPU	I
EPO; JE	20;
DERWENT	
IBM TDE	3

	(bypasa\$\$ adj2 spool\$\$)					
PPO: JPO: DERWENT: IBM TDB USPAT: USP-GPUB: EPO: JPO: DERWENT: IBM TDB USPAT:	Second Communication	_	0	(print\$5 adj2 (job\$5 request\$5)) with	USPAT;	2004/09/27
- 8 (print\$5 adj2 (job\$5 request\$5)) with postacript\$5 adj2 format\$5  - 15 (print\$5 adj2 (job\$5 request\$5)) with postacript\$5 same head\$5  - 15 (print\$5 adj2 (job\$5 request\$5)) with postacript\$5 same head\$5  - 1 ((print\$5 adj2 (job\$5 request\$5)) with postacript\$5 same head\$5  - 1 ((print\$5 adj2 (job\$5 request\$5)) with postacript\$5 same head\$5) and postacript\$5 adj2 print\$4) with postacript\$5 adj2 print\$4) with postacript\$6 print\$6 print\$6 print\$6 print\$6 print\$6 print\$6 print\$6 print\$7 print\$6 print\$7 print\$6 print\$7 pri	8			(bypass\$5 adj2 spool\$5)		18:04
B	B				EPO; JPO;	
B	B   point   post   po				DERWENT;	
	Descript\$5 adj2 format\$5				IBM_TDB	
Postscript\$5 adj2 format\$5	postscript\$5 adj2 (job\$5 request\$5) with   postscript\$5 same head\$5   UsPAT;	-	8	(print\$5 adj2 (job\$5 request\$5)) with	USPAT;	2004/09/27
Property					US-PGPUB;	18:13
- 15 (print\$5 adj2 (job\$5 request\$5)) with	DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO;   DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   EPO; JPO; DERMENT;   IBM TIDB   USPAT;   US_PGUB;   USPAT;   U			F	EPO; JPO;	
15	15					
15	15					
Postscript\$5 same head\$5	Destscript\$5 same head\$5   SPO, JPO, DERWENT; IRM TIDB   Content of the first of		7.5	(nrintes adia (iohes roquestes)) with	_	2004/09/27
Poststipt   Posts	1		15			/ / /
- 1 ((print\$5 adj2 (job\$5 request\$5)) with postscript\$5 same head\$5) and gad<20000124 USPAT: US-FGPUB; BDO JPO; DERWENT; IBM TDB USPAT: US-FGPUB; BDO JPO; DERWENT; IBM TDB USPAT: US-FGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPAT: US-FGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	1 ((print\$5 adj2 (job\$5 request\$5)) with   DERWENT;			postscripts same neadss		10.13
1	1				i .	
-     ( print\$5 adj2 ( job\$5 request\$5)) with   USPĀT;   2004/09/27   18:25    -	1   ((print\$5 adj2 (job\$5 request\$5)) with   DosEnce   Dose   D					
Postscript\$\$ same head\$\$) and   US-PGPUB;   Red<20000124   EPO; JPO; DERWENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO; DERWENT;   IBM TDB   USPAT;   USP	postscript\$ same head\$5 and   US-FGPUB;   18:25		_			0.004/00/07
### Bed<20000124    EPO, JPO; DERWENT; IBM TDB   USPĀT; US-PGPUB; EP	### Red	-	1			
- 24 (interactiv\$5 adj2 print\$4) with (USPAT; USPACPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPACPUB; EPO; JPO;	DERMENT; IBM TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB   U				1	18:25
- 24 (interactiv\$5 adj2 print\$4) with (direct\$5 mutual\$5 bypass\$5)	24			@ad<20000124	· ·	
- 24 (interactiv\$\$ adj2 print\$4) with (direct\$\$ mutual\$\$ bypass\$\$)	24					
(direct\$5 mutual\$5 bypass\$5)  (direct\$5 mutual\$5 bypass\$5)  (direct\$5 mutual\$5 bypass\$5)  (direct\$5 mutual\$5 bypass\$5)  (direct\$5 mutual\$5)  (direct\$5 mutual\$5}  (direct\$5 mutual\$5)  (direct\$5 mutual\$5}  (direct\$5 mutual\$5)  (direct\$5 mutual\$5  (direct\$5 mutual\$5}  (direct\$5 mutual\$5  (direct\$	(direct\$5 mutual\$5 bypass\$5)				IBM_TDB	
(direct\$5 mutual\$5 bypass\$5)	(direct\$5 mutual\$5 bypass\$5)	-	24	(interactiv\$5 adj2 print\$4) with	USPĀT;	2004/09/27
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; With (mutual\$2) USPAT; US-PGPUB; EPO; JPO; DERWENT; With (mutual\$2) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PAT; US-PGPUB; E	EDD; JPO; DERWENT; IBM TDB   USPAT; US-FGPUB; ED; JPO; DERWENT;				US-PGPUB;	18:15
DERWENT; IBM_TDB USPAT; (direct\$5 mutual\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	24			[ *	EPO; JPO;	
- 24 (interactiv\$5 adj2 print\$4) with (direct\$5 mutual\$5)	IBM TDB   USPAT;					
- 24 (interactiv\$5 adj2 print\$4) with (direct\$5 mutual\$5)	24		1.			
Content   Cont		l _	24	(interactives adia printed) with		2004/09/27
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB	SEO; JPO; DERWENT; IBM TDB   USPAT;   2004/09/27   18:25   EPO; JPO; DERWENT; IBM TDB   USPAT;   18:34   EPO; JPO; DERWENT; IBM TDB   USPAT;   18:34   EPO; JPO; DERWENT; IBM TDB   USPAT;   18:34   EPO; JPO; DERWENT; IBM TDB   USPAT;   US-FGPUB; EPO; JPO; DERWENT; IBM TDB   USPAT;	· ·	24		· ·	
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	192			(direct35 mutuar35)	· ·	10.22
192	192					
192	192					
Same (mutual\$2)	Same (mutual\$2)					2004/00/27
B2	82 (print\$5 adj2 (job\$2 request\$5 order\$5)) with (mutual\$2)  50 ((print\$5 adj2 (job\$2 request\$5 order\$5)) with (mutual\$2)) and @ad<20000124  6 ((print\$5 adj2 (job\$5 request\$5 order\$5)) with (mutual\$2)) and @ad<20000124  6 print\$2 adj2 (job\$5 request\$5 order\$5) with (mutual\$5 adj2 communication\$5)  6 print\$2 adj2 (job\$5 request\$5 order\$5) with (mutual\$5 adj2 communication\$5)  6 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  6 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  6 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5  2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  3 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  3 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5) perwent; IBM TDB USPĀT; US-PGPUB; BPO; JPO; DERWENT; IBM TDB	_	192		· ·	
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT	S2			same (mutual\$2)	· ·	18:25
S2	S2					
S2	S2	1				
with (mutual\$2)	with (mutual\$2)   US-PGPUB;   EPO; JPO;   DERWENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   USPAT;   US-PGPUB;		İ		IBM_TDB	
with (mutual\$2)	with (mutual\$2)   US-PGPUB;   EPO; JPO;   DERWENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   USPAT;   US-PGPUB;	-	82	(print\$5 adj2 (job\$2 request\$5 order\$5))	USPAT;	2004/09/27
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IB:34	So				US-PGPUB;	18:25
DERWENT; IBM_TDB USPAT; With (mutual\$2)) and @ad<20000124  - 6 print\$2 adj2 (job\$5 request\$5 order\$5) with (mutual\$5 adj2 communication\$5)  - 6 print\$2 adj2 (job\$5 request\$5 order\$5) with (mutual\$5 adj2 communication\$5)  - 7 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  - 8 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  - 9 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  - 1 0 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5  - 1 0 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5	DERWENT; IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   USPAT;   US-				EPO; JPO;	
TBM_TDB	So					
- 50 ((print\$5 adj2 (job\$2 request\$5 order\$5)) USPAT; With (mutual\$2)) and @ad<20000124 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US-P	Solution					
with (mutual\$2)) and @ad<20000124    With (mutual\$2)) and @ad<20000124   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; With (mutual\$5 adj2 communication\$5)   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; With (direct\$5 adj2 communication\$5)   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (request\$5 adj2 print\$5 adj2 USPAT; (request\$5 data)) with (mutual\$5 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (request\$5 data)) with (mutual\$5 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US-PG	### with (mutual\$2)) and @ad<20000124  ### with (mutual\$2)) and @ad<20000124  ### print\$2 adj2 (job\$5 request\$5 order\$5) ### with (mutual\$5 adj2 communication\$5)  ### TDB  ### USPAT; ###	1_	50	//prints5 adi2 (ioh\$2 remuest\$5 order\$5))	_	2004/09/27
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U	EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM		]			1
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; With (direct\$5 adj2 communication\$5) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; IBM_TDB	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;			with (mutual)2)) and ead 20000124		1 10.31
- 6 print\$2 adj2 (job\$5 request\$5 order\$5)	BM_TDB	1	1		1 '	
- 6 print\$2 adj2 (job\$5 request\$5 order\$5)	6 print\$2 adj2 (job\$5 request\$5 order\$5) with (mutual\$5 adj2 communication\$5)  65 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  66 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  67 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5  68 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5)  69 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5 connect\$5)  60 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  60 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  60 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  61 USPAT; 18:33  62 2004/09/27 18:33  63 2004/09/27  64 2004/09/27  65 USPAT; 66 2004/09/27  66 2004/09/27  67 2004/09/27  68 2004/09/27  68 2004/09/27	1	1			1
with (mutual\$5 adj2 communication\$5)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; With (direct\$5 adj2 communication\$5)  US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	## with (mutual\$5 adj2 communication\$5)		_	1 140 140 /4 145		2004/00/27
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPA	65 print\$2 adj2 (job\$5 request\$5 order\$5) with (direct\$5 adj2 communication\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  0 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5 uspAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspAT; US-PGPUB; IBM_TDB uspAT; IB	-	6	1 =	1	
- 65 print\$2 adj2 (job\$5 request\$5 order\$5)	DERWENT; IBM_TDB USPAT; With (direct\$5 adj2 communication\$5)  0 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5  2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  395 (determin\$5 analyz\$5) with (print\$5 adj2 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT;		!	with (mutual\$5 adj2 communication\$5)		18:33
- 65 print\$2 adj2 (job\$5 request\$5 order\$5)	TDB					
- 65 print\$2 adj2 (job\$5 request\$5 order\$5)	65 print\$2 adj2 (job\$5 request\$5 order\$5)					
with (direct\$5 adj2 communication\$5)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	<pre>with (direct\$5 adj2 communication\$5) with (direct\$5 adj2 communication\$5)  0 (interactive\$5 adj2 print\$5 adj2</pre>				_	1
with (direct\$5 adj2 communication\$5)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	<pre>with (direct\$5 adj2 communication\$5)  with (direct\$5 adj2 communication\$5)  0 (interactive\$5 adj2 print\$5 adj2</pre>	-	65	print\$2 adj2 (job\$5 request\$5 order\$5)	USPAT;	
EPO; JPO; DERWENT; IBM_TDB  (interactive\$5 adj2 print\$5 adj2 USPAT; 2004/09/27 (request\$5 data)) with (mutual\$5 US-PGPUB; direct\$5) near4 (communication\$5 EPO; JPO;	Cinteractive\$5 adj2 print\$5 adj2 USPAT; US-PGPUB; Connect\$5) with (print\$5 adj2 USPAT; US-PGPUB; Connect\$5) with (print\$5 adj2 USPAT; US-PGPUB; Connect\$5) USPAT; US-PGPUB; Connect\$5) USPAT; US-PGPUB; Connect\$5 information\$5 USPAT; US-PGPUB; Connect\$5 information\$5) USPAT; US-PGPUB; Connect\$5 information\$5) USPAT; US-PGPUB; Connect\$5 information\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;				US-PGPUB;	18:33
DERWENT;  IBM_TDB USPAT; (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	O (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5 connect\$5)  2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  395 (determin\$5 analyz\$5) with (print\$5 adj2 USPAT; 18:43  (determin\$5 analyz\$5) with (print\$5 adj2 USPAT; 18:43  2004/09/27  18:43  2004/09/27				EPO; JPO;	
- 0 (interactive\$5 adj2 print\$5 adj2 USPAT; 2004/09/27 (request\$5 data)) with (mutual\$5 US-PGPUB; direct\$5) near4 (communication\$5 EPO; JPO;	0 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5 EPO; JPO; connect\$5)  2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5))	[			1	
- 0 (interactive\$5 adj2 print\$5 adj2 USPAT; 2004/09/27 (request\$5 data)) with (mutual\$5 US-PGPUB; direct\$5) near4 (communication\$5 EPO; JPO;	0 (interactive\$5 adj2 print\$5 adj2 (request\$5 data)) with (mutual\$5 direct\$5) near4 (communication\$5 EPO; JPO; connect\$5)  2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5))				1	
(request\$5 data)) with (mutual\$5 US-PGPUB; 18:34 direct\$5) near4 (communication\$5 EPO; JPO;	(request\$5 data) with (mutual\$5 direct\$5) near4 (communication\$5 connect\$5)  2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  395 (determin\$5 analyz\$5) with (print\$5 adj2 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	_	_	(interactive\$5 adi2 print\$5 adi2	_	2004/09/27
direct\$5) near4 (communication\$5 EPO; JPO;	direct\$5) near4 (communication\$5 connect\$5)  2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) near4 (post adj2 script\$5)  395 (determin\$5 analyz\$5) with (print\$5 adj2 USPAT; DERWENT; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT;		1		I .	1
	connect\$5)   2   (determin\$5 analyz\$5) with (print\$5 adj2   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   IBM_TDB   USPAT;   IBM_TDB   USPAT;   IBM_TDB   USPAT;   IBM_TDB   USPAT;   ISPAT;   I	1				
I CONNECLSS)   DEKWENT;	2 (determin\$5 analyz\$5) with (print\$5 adj2 (USPAT; (request\$5 job\$5 data\$5 information\$5)) US-PGPUB; near4 (post adj2 script\$5) EPO; JPO; DERWENT; IBM_TDB USPAT; 18:43  395 (determin\$5 analyz\$5) with (print\$5 adj2 USPAT; 2004/09/27	1			· ·	1
	2 (determin\$5 analyz\$5) with (print\$5 adj2 (request\$5 job\$5 data\$5 information\$5)) USPAT; US-PGPUB; near4 (post adj2 script\$5) EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/09/27	[		Connectable		1
l — l	(request\$5 job\$5 data\$5 information\$5))  near4 (post adj2 script\$5)  US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;  2004/09/27	1		/ 1 h		2004/09/27
a   /desermings anaryzes, wrom /primets aayz   serming	near4 (post adj2 script\$5)  EPO; JPO; DERWENT; IBM_TDB USPAT;  2004/09/27	-	1 2			1 ' '
(icqueseto josto daesato inicimaezonto//	DERWENT; IBM_TDB 395 (determin\$5 analyz\$5) with (print\$5 adj2 USPAT; 2004/09/27					10:43
	395 (determin\$5 analyz\$5) with (print\$5 adj2 USPAT; 2004/09/27	1		near4 (post adj2 script\$5)		
	395 (determin\$5 analyz\$5) with (print\$5 adj2   USPAT;   2004/09/27				1	
	355 (decelming analyze, with (printer aug)				I —	
555 (deceliming didiyayo) with (printed da)2   outility		_	395		USPAT;	1
(request\$5 job\$5 data\$5 information\$5))   US-PGPUB;   18:44	I (reducação londo dacado furormacrondo))   on rerent 1				US-PGPUB;	18:44
				with (language\$5 postscript\$5 pcl pdl)	EPO; JPO;	1
					DERWENT;	1
DERWENT;	DERWENT;				IBM TDB	
						1
DERWENT;	DERWENT;	1	1	j	IBM TDB	

		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TICDAM.	2004/00/27
- [	254		USPAT; US-PGPUB;	2004/09/27
		(request\$5 job\$5 data\$5 information\$5))	EPO; JPO;	18:45
		near4 (language\$5 postscript\$5 pcl pdl)	DERWENT;	
			IBM_TDB	0004/00/07
-	141	(determin\$5 analyz\$5) with (print\$5 adj2	USPAT;	2004/09/27
		(request\$5 job\$5 data\$5)) adj4 type\$5	US-PGPUB;	18:46
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
_	77		USPAT;	2004/09/27
		(request\$5 job\$5 data\$5)) adj4 type\$5)	US-PGPUB;	18:46
		and @ad<20000124	EPO; JPO;	
			DERWENT;	Į.
			IBM TDB	
_	118	(determin\$5 analyz\$5) with (print\$5 adj2	USPAT;	2004/09/27
	110	(request\$5 job\$5 data\$5)) adj4 language\$5	US-PGPUB;	18:53
		(tequesets josets amontal)	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
l _	66	((determin\$5 analyz\$5) with (print\$5 adj2	USPAT;	2004/09/27
_	00	(request\$5 job\$5 data\$5)) adj4	US-PGPUB;	18:53
	1	(request55 job\$5 data\$5); adj4	EPO; JPO;	10.00
		language\$5) and @ad<20000124	DERWENT;	1
			IBM TDB	
		1 AF 3 AF 1 AF 1 AF 1 AF 1	USPAT;	2004/09/27
_	22			18:48
		adj2 (request\$5 job\$5 data\$5)) adj4	US-PGPUB;	10:40
		language\$5) and @ad<20000124) and	EPO; JPO;	
		postscript\$5	DERWENT;	
			IBM_TDB	0004/00/07
-	159		USPAT;	2004/09/27
		(request\$5 job\$5 data\$5)) adj4 format\$5	US-PGPUB;	18:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	\
-	79		USPAT;	2004/09/27
		(request\$5 job\$5 data\$5)) adj4 format\$5)	US-PGPUB;	18:53
	1	and @ad<20000124	EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	2	(determin\$5 analyz\$5) with (print\$5 adj2	USPĀT;	2004/09/27
	_	(request\$5 job\$5 data\$5)) adj4	US-PGPUB;	18:56
		interactive\$5	EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	12	(determin\$5 analyz\$5) with (print\$5 adj2	USPAT;	2004/09/27
	1	(request\$5 job\$5 data\$5)) with	US-PGPUB;	18:58
		(postscript\$5)	EPO; JPO;	
		(hoseset the 42)	DERWENT;	1
			IBM TDB	
		(3-130E) with /mainton -310 /mamus=10E	USPAT;	2004/09/28
-	1		1	09:51
		job\$5 data\$5)) with (postscript\$5)	US-PGPUB;	09.31
	1		EPO; JPO;	
	1		DERWENT;	
L	<u></u>		IBM_TDB	